10/780297

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	BRS	L1	11466	erythropoietin	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/03 08:06			
2	BRS	L2	8919	composition same buffer same (sulfate or citrate or phosphate) same pH	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/03 08:06			
3	BRS	L3	9	erythropoietin same (composition same buffer same (sulfate or citrate or phosphate) same pH)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/03 08:07			
4	BRS	L4	581	glycosylat$3 same erythropoietin	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/03 08:07			
5	BRS	L5	83	(peg same erythropoietin same conjugat$3) or (pegylated adj erythropoietin)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/03 08:08			
6	BRS	L6	66	(pegylat$3 same erythropoietin)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/03 08:08			
7	BRS	L7	1671	(erythropoietin same (modif$7 or substitut$3 or mutat$3)) or (glycosylat$3 same erythropoietin) or ((peg same erythropoietin same conjugat$3) or (pegylated adj erythropoietin)) or ((pegylat$3 same erythropoietin))	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/03 08:08			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
8	BRS	L8	1	(composition same buffer same (sulfate or citrate or phosphate) same pH) same ((erythropoietin same (modif$7 or substitut$3 or mutat$3)) or (glycosylat$3 same erythropoietin) or ((peg same erythropoietin same conjugat$3) or (pegylated adj erythropoietin)) or ((pegylat$3 same erythropoietin)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/03 08:09			
9	BRS	L9	172131	(sodium adj chloride) or isoton$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/03 08:09			
10	BRS	L10	86037	methionine or arginine	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/03 08:10			
11	BRS	L11	177257	polyol or mannitol	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/03 08:10			
12	BRS	L12	6	(erythropoietin same (composition same buffer same (sulfate or citrate or phosphate) same pH)) same (((sodium adj chloride) or isoton$5) or (methionine or arginine) or (polyol or mannitol))	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/03 08:10			
13	BRS	L13	1443	pluronic adj f68	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/03 08:11			
14	BRS	L14	5674	poloxamer	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/03 08:12			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
15	BRS	L15	0	((erythropoietin same (composition same buffer same (sulfate or citrate or phosphate) same pH)) same (((sodium adj chloride) or isoton$5) or (methionine or arginine) or (polyol or mannitol))) same ((pluronic adj f68) or poloxamer)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/03 08:12			
16	BRS	L16	749	multiply adj charged	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/03 08:12			
17	BRS	L17	303	multiple adj charged	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/03 08:12			
18	BRS	L18	17	papadimitriou adj apollon.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/03 08:13			
19	BRS	L19	7	erythropoietin and (papadimitriou adj apollon.in.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/03 08:13			
20	BRS	L20	5	erythropoietin and (papadimitriou adj apollon.in.) and (composition same buffer same (sulfate or citrate or phosphate) same pH)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/03 08:13			
21	BRS	L21	92	((multiply adj charged) or (multiple adj charged)) same anion	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/03 08:14			
22	BRS	L22	4	composition same buffer same (((multiply adj charged) or (multiple adj charged)) same anion) same pH	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/03 08:14			
23	BRS	L23	182	(pegylated or peg) same erythropoietin	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/03 08:14			
24	BRS	L24	301588	linker or linking	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/03 08:14			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
25	BRS	L25	36685	kilodalton or kDa	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/03 08:15			
26	BRS	L26	2	(((pegylated or peg) same erythropoietin) same (linker or linking)) same (kilodalton or kDa)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/03 08:15			
27	BRS	L27	20	((pegylated or peg) same erythropoietin) same (linker or linking)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/03 08:15			
28	BRS	L28	0	composition same sulfate same arinine same pH	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/03 08:16			
29	BRS	L29	0	composition same sulfate same arinine same pH	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/03 08:16			
30	BRS	L30	0	erythropoietin same (composition same sulfate same arinine same pH)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/03 08:16			

=> d his

(FILE 'HOME' ENTERED AT 08:18:56 ON 03 DEC 2004)

FILE 'MEDLINE, CAPLUS, BIOSIS, EMBASE, SCISEARCH, AGRICOLA' ENTERED AT
08:19:22 ON 03 DEC 2004
L1 79889 S ERYTHROPOIETIN
L2 6670 S COMPOSITION (P) BUFFER (P) (SULFATE OR CITRATE OR PHOSPHATE)
L3 10 S L1 (P) L2
L4 10 DUPLICATE REMOVE L3 (0 DUPLICATES REMOVED)
L5 780 S GLYCOSYLAT? (P) L1
L6 22 S PEG (P)L1 (P) (CONJUGAT? OR COVALENT?)
L7 81 S PEGYLAT? (P) L1
L8 3892 S L1 (P) (MODIF? OR SUBSTITUT? OR MUTAT?)
L9 4625 S L5 OR L6 OR L7 OR L8
L10 0 S L2 (P) L9
L11 298406 S (SODIUM CHLORIDE) OR ISOTON?
L12 572259 S METHIONINE OR ARGININE
L13 142861 S POLYOL OR MANNITOL
L14 1 S L4 (P) (L12 OR L11 OR L13)
L15 1255 S PLURONIC F68
L16 5705 S POLOXAMER
L17 1 S L14 AND (L15 OR L16)
L18 482 S PAPADIMITRIOU A?/AU
L19 7 S L18 AND L1
L20 3 DUPLICATE REMOVE L19 (4 DUPLICATES REMOVED)
L21 1864732 S LINK?
L22 566 S L9 (P) L21
L23 0 S L22 AND L2

=> log y

```
FILE 'MEDLINE' ENTERED AT 08:19:22 ON 03 DEC 2004

FILE 'CAPLUS' ENTERED AT 08:19:22 ON 03 DEC 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'BIOSIS' ENTERED AT 08:19:22 ON 03 DEC 2004
Copyright (c) 2004 The Thomson Corporation.

FILE 'EMBASE' ENTERED AT 08:19:22 ON 03 DEC 2004
COPYRIGHT (C) 2004 Elsevier Inc. All rights reserved.

FILE 'SCISEARCH' ENTERED AT 08:19:22 ON 03 DEC 2004
Copyright (c) 2004 The Thomson Corporation.

FILE 'AGRICOLA' ENTERED AT 08:19:22 ON 03 DEC 2004

=> s erythropoietin
L1       79889 ERYTHROPOIETIN

=> s composition (p) buffer (p) (sulfate or citrate or phosphate)
L2        6670 COMPOSITION (P) BUFFER (P) (SULFATE OR CITRATE OR PHOSPHATE)

=> s l1 (p) l2
L3          10 L1 (P) L2

=> duplicate remove l3
DUPLICATE PREFERENCE IS 'CAPLUS, BIOSIS'
KEEP DUPLICATES FROM MORE THAN ONE FILE?  Y/(N):n
PROCESSING COMPLETED FOR L3
L4           10 DUPLICATE REMOVE L3 (0 DUPLICATES REMOVED)

=> 'd l4 1-10 ibib abs
'D IS NOT A RECOGNIZED COMMAND
The previous command name entered was not recognized by the system.
For a list of commands available to you in the current file, enter
"HELP COMMANDS" at an arrow prompt (=>).

=> d l4 1-10 ibib abs

L4   ANSWER 1 OF 10  CAPLUS  COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER:         2004:355193  CAPLUS
DOCUMENT NUMBER:          140:363055
TITLE:                    Microencapsulation and sustained release of
                          biologically active polypeptides
INVENTOR(S):              Costantino, Henry R.; Hotz, Joyce
PATENT ASSIGNEE(S):       Alkermes Controlled Therapeutics, Inc. II, USA
SOURCE:                   PCT Int. Appl., 71 pp.
                          CODEN: PIXXD2
DOCUMENT TYPE:            Patent
LANGUAGE:                 English
FAMILY ACC. NUM. COUNT:   3
PATENT INFORMATION:

     PATENT NO.           KIND   DATE        APPLICATION NO.          DATE
     --------------       ----   --------    -------------------      --------
     WO 2004036186         A2    20040429    WO 2003-US33168          20031017
         W:  AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,
             CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE,
             GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK,
             LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ,
             OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM,
             TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
         RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,
             KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES,
             FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR,
             BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG
     US 2004208929         A1    20041021    US 2003-688059           20031017
     US 2004228833         A1    20041118    US 2003-688786           20031017
PRIORITY APPLN. INFO.:                       US 2002-419388P      P   20021017
AB   This invention relates to   ***compns***   . for the sustained release of
     biol. active polypeptides, and methods of forming and using said
       ***compns***   ., for the sustained release of biol. active polypeptides,
     such as glucagon, glucagon-like peptides, exendins, vasoactive intestinal
     peptide, Igs, antibodies, cytokines, interleukins, macrophage activating
```

factors, interferons, ***erythropoietin*** tumor necrosis factor, colony stimulating factors, hormones, etc. The sustained release ***compns*** . of this invention comprise a biocompatible polymer having dispersed therein, a biol. active polypeptide, a sugar and a salting-out salt. For example, exendin-4 was encapsulated in poly(lactide-co-glycolide) using a water-oil-oil (W/O/O) emulsion system. The initial embryonic microparticles were formed in a W/O/O inner emulsion step after which they were subjected to coacervation and hardening steps. The inner phase was prepd. by dissolving the exendin-4, sucrose and ammonium ***sulfate*** in water or an aq. ***buffer*** and injected into a polymer phase (PLG dissolved in methylene chloride) while sonicating. The resultant water/oil emulsion was then mixed with silicone oil, and the mixt. was added to heptene to form microparticles. The microparticles were collected, dried and filled into vials.

L4 ANSWER 2 OF 10 CAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 2004:60340 CAPLUS
DOCUMENT NUMBER: 140:117364
TITLE: Stable pharmaceutical composition of erythropoietin comprising a poloxamer polyol and a polyhydric alcohol and use for anemia therapy
INVENTOR(S): Vukmirovic, Andreja; Rozman, Tanja; Svetek, Jelka; Paris, Alenka
PATENT ASSIGNEE(S): Lek Pharmaceuticals D.D., Slovenia
SOURCE: PCT Int. Appl., 33 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004006958	A1	20040122	WO 2003-SI23	20030714
W: AT, AU, BA, BG, BR, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, HR, HU, ID, IL, IN, JP, KR, LT, LU, LV, MK, MX, NO, NZ, PL, PT, RO, RU, SE, SG, SK, TR, UA, US, ZA				
RW: BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR				
SI 21258	C	20040229	SI 2002-178	20020717
PRIORITY APPLN. INFO.:			SI 2002-178 A	20020717

AB The present invention provides a new stable pharmaceutical compn. of erythropoietin (EPO) that is stabilized with a combination of a poloxamer polyol and a polyhydric alc. The stabilization of EPO is achieved while the compn. of the invention is preferably free of additives which are derived from human or animal origin other than EPO (e.g. serum proteins). The pharmaceutical compn. optionally further comprises an isotonifying agent and/or one or more pharmaceutically acceptable excipients. The pharmaceutical compn. of the present invention is suitable for use in human and veterinary medicine and is pharmaceutically acceptable in a suitable administration form, esp. for parenteral application, e.g. i.m., s.c. and/or i.v. application. In a particularly preferred embodiment, the pharmaceutical compn. of the present invention is in a liq., more preferably in an aq. form.
REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 3 OF 10 CAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 2004:60332 CAPLUS
DOCUMENT NUMBER: 140:117404
TITLE: Stable pharmaceutical composition comprising erythropoietin
INVENTOR(S): Vukmirovic, Andreja; Rozman, Tanja; Svetek, Jelka; Paris, Alenka
PATENT ASSIGNEE(S): Lek Pharmaceuticals D.D., Slovenia
SOURCE: PCT Int. Appl., 37 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004006948	A1	20040122	WO 2002-IB4690	20021108
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,				

GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

SI 21257 C 20040229 SI 2002-176 20020717
PRIORITY APPLN. INFO.: SI 2002-176 A 20020717
AB The present invention provides a new stable pharmaceutical ***compn*** . of ***erythropoietin*** (EPO) that is stabilized with PVP. Stable ***compns*** . contained ***erythropoietin*** , PVP K12, NaCl and ***phosphate*** ***buffer*** .
REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 4 OF 10 BIOSIS COPYRIGHT (c) 2004 The Thomson Corporation. on STN
ACCESSION NUMBER: 2004:7415 BIOSIS
DOCUMENT NUMBER: PREV200400008350
TITLE: Erythropoietin liposomal dispersion.
AUTHOR(S): Naeff, Rainer [Inventor, Reprint Author]; Delmenico, Sandro [Inventor]; Wetter, Andre [Inventor]; Floether, Frank-Ulrich [Inventor]
CORPORATE SOURCE: Langwiesen, Switzerland
ASSIGNEE: Cilag AG, Switzerland
PATENT INFORMATION: US 6645522 November 11, 2003
SOURCE: Official Gazette of the United States Patent and Trademark Office Patents, (Nov 11 2003) Vol. 1276, No. 2. http://www.uspto.gov/web/menu/patdata.html. e-file. ISSN: 0098-1133 (ISSN print).
DOCUMENT TYPE: Patent
LANGUAGE: English
ENTRY DATE: Entered STN: 17 Dec 2003
Last Updated on STN: 17 Dec 2003
AB The present invention relates to a liposome based formulation of ***erythropoietin*** comprising: (a) an effective amount of an ***erythropoietin*** ; (b) a lipidic phase comprising: (i) lecithin or hydrogenated lecithin; (ii) optionally, a charged electropositive or electronegative lipid compound; and (iii) cholesterol or a derivative thereof selected from cholesterol esters, polyethylene glycol derivatives of cholesterol (PEG-cholesterols), and organic acid derivatives of cholesterols; and (c) a ***phosphate*** ***buffer*** . The liposome based parenteral dosage form of the invention is prepared by means of an ethanol injection technique. The ***composition*** avoids the need for use of human serum albumin and exhibits superior stability.

L4 ANSWER 5 OF 10 CAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 2001:850963 CAPLUS
DOCUMENT NUMBER: 136:11065
TITLE: New pharmaceutical composition
INVENTOR(S): Papadimitriou, Apollon
PATENT ASSIGNEE(S): F. Hoffmann-La Roche A.-G., Switz.
SOURCE: PCT Int. Appl., 64 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001087329	A1	20011122	WO 2001-EP5187	20010508
W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CO, CU, CZ, DE, DK, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
CA 2408685	AA	20011122	CA 2001-2408685	20010508
BR 2001010914	A	20030211	BR 2001-10914	20010508
EP 1311285	A2	20030521	EP 2001-943331	20010508
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,				

IE, SI, LT, LV, FI, RO, MK, CY, AL, TR

JP 2003533487	T2	20031111	JP 2001-583796		20010508
US 2002037841	A1	20020328	US 2001-853731		20010511
ZA 2002008500	A	20040128	ZA 2002-8500		20021021
NO 2002005450	A	20021114	NO 2002-5450		20021114
US 2004147431	A1	20040729	US 2004-780297		20040217
PRIORITY APPLN. INFO.:			EP 2000-110355	A	20000515
			WO 2001-EP5187	W	20010508
			US 2001-853731	A1	20010511

AB The present invention relates to a liq. pharmaceutical compn. comprising an erythropoietin protein, a multiple charged inorg. anion in a pharmaceutically acceptable buffer suitable to keep the soln. pH in the range from about 5.5 to about 7.0, and optionally one or more pharmaceutically acceptable excipients. This compn. is esp. useful for the prophylaxis and treatment of diseases related to erythropoiesis.

REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 6 OF 10 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 2000:197980 CAPLUS
DOCUMENT NUMBER: 132:227484
TITLE: Aqueous formulations of biologically active polypeptides
INVENTOR(S): Papadimitriou, Apollon
PATENT ASSIGNEE(S): Hoffmann-La Roche, A.-G., Switz.
SOURCE: Jpn. Kokai Tokkyo Koho, 11 pp.
CODEN: JKXXAF
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2000086532	A2	20000328	JP 1999-248013	19990901
TW 570805	B	20040111	TW 1999-88114073	19990818
EP 1002547	A1	20000524	EP 1999-116537	19990824
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
CN 1250669	A	20000419	CN 1999-119245	19990827
NZ 337527	A	20001222	NZ 1999-337527	19990827
SG 85670	A1	20020115	SG 1999-4209	19990827
KR 2000022777	A	20000425	KR 1999-36053	19990828
NO 9904214	A	20000302	NO 1999-4214	19990831
AU 9944866	A1	20000316	AU 1999-44866	19990831
AU 755930	B2	20030102		
TR 9902103	A2	20000421	TR 1999-9902103	19990831
HR 990272	A1	20000630	HR 1999-990272	19990831
ZA 9905601	A	20000927	ZA 1999-5601	19990831
MX 9908037	A	20000930	MX 1999-8037	19990831
RU 2180855	C2	20020327	RU 1999-118890	19990831
BR 9903984	A	20010313	BR 1999-3984	19990901
US 2002028766	A1	20020307	US 2001-953721	20010917
PRIORITY APPLN. INFO.:			EP 1998-116494	A 19980901
			US 1999-385404	A3 19990830

AB This invention relates to drug delivery systems of polypeptides with improved soly. Pharmacol. active polypeptides selected from the group consisting of hedgehog proteins, osteogenic factors, growth factors, ***erythropoietin*** , thrombopoietin, G-CSF, interleukins, and interferons, are combined with amphipathic substances to form ionic complexes in formulating aq. ***compns*** . .alpha.-Interferon in Tris ***buffer*** (pH 7.4) was dialyzed in a soln. contg. deoxycholic acid and phosphatidylserine and formulated with a soln. contg. NaCl, Na ***phosphate*** ***buffer*** soln. and deoxycholic acid for injection.

L4 ANSWER 7 OF 10 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 1999:549135 CAPLUS
DOCUMENT NUMBER: 131:161653
TITLE: Erythropoietin liposomal dispersion
INVENTOR(S): Naff, Rainer; Delmenico, Sandro; Wetter, Andre; Flother, Frank-Ulrich
PATENT ASSIGNEE(S): Cilag A.-G. International, Switz.
SOURCE: PCT Int. Appl., 23 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9942085	A1	19990826	WO 1999-IB249	19990212
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
EP 937456	A1	19990825	EP 1998-103111	19980223
EP 937456	B1	20040721		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
AT 271376	E	20040815	AT 1998-103111	19980223
CA 2320072	AA	19990826	CA 1999-2320072	19990212
AU 9921808	A1	19990906	AU 1999-21808	19990212
AU 750481	B2	20020718		
BR 9908202	A	20001024	BR 1999-8202	19990212
JP 2002503685	T2	20020205	JP 2000-532102	19990212
NZ 506429	A	20030328	NZ 1999-506429	19990212
RU 2218914	C2	20031220	RU 2000-124317	19990212
SK 284036	B6	20040803	SK 2000-1222	19990212
US 2002028236	A1	20020307	US 1999-252563	19990218
US 6645522	B2	20031111		
NO 2000004186	A	20000822	NO 2000-4186	20000822
US 2004052838	A1	20040318	US 2003-659097	20030910

PRIORITY APPLN. INFO.:	EP 1998-103111	A	19980223
	WO 1999-IB249	W	19990212
	US 1999-252563	A1	19990218

AB The present invention relates to a liposome-based formulation of ***erythropoietin*** comprising: (a) an effective amt. of an ***erythropoietin*** ; (b) a lipidic phase contg. (1) lecithin or hydrogenated lecithin, (2) optionally, a charged electropos. or electroneg. lipid compd., and (3) cholesterol or a deriv. thereof selected from cholesterol esters, polyethylene glycol derivs. of cholesterol (PEG-cholesterols) and org. acid derivs. of cholesterols; and (c) a ***phosphate*** ***buffer*** . The liposome-based parenteral dosage form of the invention is prepd. by means of an ethanol injection technique. The ***compn*** . avoids the need for use of human serum albumin and exhibits superior stability. A liposome-based dispersion contained ***erythropoietin*** 1 million IU, hydrogenated soya lecithin 0.5, cholesterol 0.1, Na dipalmitoylphosphatidic acid 0.04, ethanol 0.5, NaH2PO4.cntdot.2H2O 0.1164, Na2HPO4.cntdot.2H2O 0.2225, NaCl 0.584, and purified water to 97.9371 g.

REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 8 OF 10 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER:	1999:78461 CAPLUS
DOCUMENT NUMBER:	130:144219
TITLE:	Water-in-oil microemulsions containing cholesterols
INVENTOR(S):	Takahashi, Masao; Nakamura, Kaoru; Matsushita, Hiroshi
PATENT ASSIGNEE(S):	Advanced Skin Research Kenkyusho K. K., Japan
SOURCE:	Jpn. Kokai Tokkyo Koho, 9 pp. CODEN: JKXXAF
DOCUMENT TYPE:	Patent
LANGUAGE:	Japanese
FAMILY ACC. NUM. COUNT:	1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 11029464	A2	19990202	JP 1997-181237	19970707

PRIORITY APPLN. INFO.:	JP 1997-181237		19970707

AB Water-in-oil microemulsions contain oils, surfactants mainly contg. oligomeric surfactants, cholesterols, and H2O. The microemulsions are esp. useful for carrying peptide pharmaceuticals or water-sol. and nonabsorbable low-mol.-wt. compds. A microemulsion was formed from a ***compn*** . contg. cholesterol 0.06, polyoxyethylene (10 mol ethylene oxide) hydrogenated castor oil 9.94, ***phosphate*** ***buffer*** 5.5, ***erythropoietin*** 0.0001, and iso-Pr palmitate to 100 wt.%.

L4 ANSWER 9 OF 10 CAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 1997:660651 CAPLUS
DOCUMENT NUMBER: 127:298769
TITLE: Composition for sustained release of non-aggregated erythropoietin
INVENTOR(S): Zale, Stephen E.; Burke, Paul A.; Bernstein, Howard; Brickner, Avram
PATENT ASSIGNEE(S): Alkermes, Inc., USA
SOURCE: U.S., 15 pp., Cont.-in-part of U.S. Ser. No. 885,307, abandoned.
CODEN: USXXAM
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 13
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 5674534	A	19971007	US 1995-483318	19950607
PT 644771	T	20021231	PT 1993-916466	19930609
ES 2181691	T3	20030301	ES 1993-916466	19930609
CA 2223583	AA	19961219	CA 1996-2223583	19960604
WO 9640074	A2	19961219	WO 1996-US8526	19960604
WO 9640074	A3	19970206		
W: AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG				
RW: KE, LS, MW, SD, SZ, UG, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA				
AU 9660341	A1	19961230	AU 1996-60341	19960604
AU 705968	B2	19990603		
EP 831786	A2	19980401	EP 1996-917966	19960604
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
JP 2001515457	T2	20010918	JP 1997-501097	19960604
US 6514533	B1	20030204	US 1997-934830	19970922
AU 9742755	A1	19980115	AU 1997-42755	19971021
AU 698016	B2	19981022		
US 2003133979	A1	20030717	US 2002-278739	20021022

PRIORITY APPLN. INFO.:

US 1992-885307	B2	19920611
US 1992-984323	B2	19921202
US 1994-279784	A2	19940725
US 1995-473544	A	19950607
US 1995-477725	A	19950607
US 1995-478502	A	19950607
US 1995-483318	A	19950607
WO 1995-US7348	W	19950607
US 1995-521744	A	19950831
WO 1996-US8526	W	19960604
US 1997-765558	A2	19970307
US 1997-934830	A1	19970922

AB A ***compn*** ., and methods of forming and using said ***compn*** ., for the sustained release of non-aggregated, biol. active, ***erythropoietin*** (EPO). The sustained release ***compn*** . of this invention comprises a polymeric matrix of a biocompatible polymer and particles of biol. active, aggregation-stabilized EPO, wherein said particles are dispersed within the biocompatible polymer. The method of the invention for producing a ***compn*** . for the sustained release of biol. active EPO, includes dissolving a biocompatible polymer in a polymer solvent to form a polymer soln., dispersing particles of biol. active, aggregation-stabilized EPO in the polymer soln., and then solidifying the polymer to form a polymeric matrix contg. a dispersion of said EPO particles. The method for using a ***compn*** . of the invention is a method for providing a therapeutically effective blood level of biol. active, non-aggregated ***erythropoietin*** in a subject for a sustained period. In this method, a subject is administered an ED of the sustained release ***compn*** . of the present invention. One example ***compn*** . contained EPO 10.0, ammonium ***sulfate*** 66.8, ***phosphate*** ***buffer*** with 5mM ***citrate*** 22.1 and inulin 1.1%.

L4 ANSWER 10 OF 10 CAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 1997:119179 CAPLUS
DOCUMENT NUMBER: 126:135628
TITLE: Composition for sustained release of nonaggregated erythropoietin

INVENTOR(S): Zale, Stephen E.; Burke, Paul A.; Bernstein, Howard; Brickner, Avram
PATENT ASSIGNEE(S): Alkermes Controlled Therapeutics, Inc., USA
SOURCE: PCT Int. Appl., 39 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 13
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9640073	A2	19961219	WO 1996-US8474	19960603
WO 9640073	A3	19970123		
W: AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG				
RW: KE, LS, MW, SD, SZ, UG, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN				
US 5716644	A	19980210	US 1995-478502	19950607
AU 9659724	A1	19961230	AU 1996-59724	19960603
AU 705451	B2	19990520		
EP 871433	A2	19981021	EP 1996-917028	19960603
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
JP 11506764	T2	19990615	JP 1996-501068	19960603

PRIORITY APPLN. INFO.:

US 1995-478502	A	19950607
US 1992-885307	B2	19920611
WO 1996-US8474	W	19960603

AB A ***compn*** ., and methods of forming and using the ***compn*** ., for the sustained release of non-aggregated, biol. active ***erythropoietin*** (EPO) are described. The sustained-release ***compn*** . comprises a polymeric matrix of a biocompatible polymer and particles of biol. active, aggregation-stabilized EPO, wherein the particles are dispersed within the biocompatible polymer. The ***compn*** . for the sustained release of EPO is produced by dissolving the biocompatible polymer in a polymer solvent to form a polymer soln., dispersing particles of biol. active, aggregation-stabilized EPO in the polymer soln., and then solidifying the polymer to form a polymeric matrix contg. a dispersion of the EPO particles. Thus, a formulation contained ***erythropoietin*** 10.0, ammonium ***sulfate*** 66.8, pH 7 5 mM ***citrate*** / ***phosphate*** ***buffer*** 22.1 and inulin 1.1%. Microspheres contg. the above aggregation-stabilized ***erythropoietin*** formulations were prepd. from polyglycolide-polylactide. The immunoreactivity of the EPO in these microspheres was detd. by extg. the protein and analyzing by RIA.

```
=> s glycosylat? (p) l1
L5          780 GLYCOSYLAT? (P) L1

=> s PEG (p)l1 (p) (conjugat? or covalent?)
L6           22 PEG (P) L1 (P) (CONJUGAT? OR COVALENT?)

=> s pegylat? (p) l1
L7           81 PEGYLAT? (P) L1

=> s l1 (p) (modif? or substitut? or mutat?)
L8         3892 L1 (P) (MODIF? OR SUBSTITUT? OR MUTAT?)

=> s l5 or l6 or l7 or l8
L9         4625 L5 OR L6 OR L7 OR L8

=> s l2 (p) l9
L10           0 L2 (P) L9

=> s (sodium chloride) or isoton?
L11      298406 (SODIUM CHLORIDE) OR ISOTON?

=> s methionine or arginine
L12      572259 METHIONINE OR ARGININE

=> s polyol or mannitol
L13      142861 POLYOL OR MANNITOL

=> s l4 (p) (l12 or l11 or l13)
```

```
PROXIMITY OPERATOR LEVEL NOT CONSISTENT WITH
FIELD CODE - 'AND' OPERATOR ASSUMED 'L86 (P) '
PROXIMITY OPERATOR LEVEL NOT CONSISTENT WITH
FIELD CODE - 'AND' OPERATOR ASSUMED 'L92 (P) '
PROXIMITY OPERATOR LEVEL NOT CONSISTENT WITH
FIELD CODE - 'AND' OPERATOR ASSUMED 'L94 (P) '
PROXIMITY OPERATOR LEVEL NOT CONSISTENT WITH
FIELD CODE - 'AND' OPERATOR ASSUMED 'L96 (P) '
L14          1 L4 (P) (L12 OR L11 OR L13)

=> d l14 1 ibib abs

L14  ANSWER 1 OF 1  CAPLUS  COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER:         2004:60340  CAPLUS
DOCUMENT NUMBER:          140:117364
TITLE:                    Stable pharmaceutical composition of erythropoietin
                          comprising a poloxamer polyol and a polyhydric alcohol
                          and use for anemia therapy
INVENTOR(S):              Vukmirovic, Andreja; Rozman, Tanja; Svetek, Jelka;
                          Paris, Alenka
PATENT ASSIGNEE(S):       Lek Pharmaceuticals D.D., Slovenia
SOURCE:                   PCT Int. Appl., 33 pp.
                          CODEN: PIXXD2
DOCUMENT TYPE:            Patent
LANGUAGE:                 English
FAMILY ACC. NUM. COUNT:   1
PATENT INFORMATION:

     PATENT NO.           KIND   DATE        APPLICATION NO.          DATE
     ---------------      ----   --------    --------------------     --------
     WO 2004006958         A1    20040122    WO 2003-SI23             20030714
         W:  AT, AU, BA, BG, BR, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, HR,
             HU, ID, IL, IN, JP, KR, LT, LU, LV, MK, MX, NO, NZ, PL, PT, RO,
             RU, SE, SG, SK, TR, UA, US, ZA
         RW: BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT,
             LU, MC, NL, PT, RO, SE, SI, SK, TR
     SI 21258               C     20040229    SI 2002-178              20020717
PRIORITY APPLN. INFO.:                       SI 2002-178          A   20020717
AB   The present invention provides a new stable pharmaceutical compn. of
     erythropoietin (EPO) that is stabilized with a combination of a poloxamer
     polyol and a polyhydric alc.  The stabilization of EPO is achieved while
     the compn. of the invention is preferably free of additives which are
     derived from human or animal origin other than EPO (e.g. serum proteins).
     The pharmaceutical compn. optionally further comprises an isotonifying
     agent and/or one or more pharmaceutically acceptable excipients.  The
     pharmaceutical compn. of the present invention is suitable for use in
     human and veterinary medicine and is pharmaceutically acceptable in a
     suitable administration form, esp. for parenteral application, e.g. i.m.,
     s.c. and/or i.v. application.  In a particularly preferred embodiment, the
     pharmaceutical compn. of the present invention is in a liq., more
     preferably in an aq. form.
REFERENCE COUNT:          4     THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS
                                RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT


=> s pluronic f68
L15        1255 PLURONIC F68

=> s poloxamer
L16        5705 POLOXAMER

=> s l15 and (l16 or l17)
L17 NOT FOUND
The L-number entered could not be found.  To see the definition
of L-numbers, enter DISPLAY HISTORY at an arrow prompt (=>).

=> s l14 and (l15 or l16)
L17          1 L14 AND (L15 OR L16)

=> s papadimitriou a?/au
L18         482 PAPADIMITRIOU A?/AU

=> s l18 and l1
L19          7 L18 AND L1

=> duplicate remove l19
DUPLICATE PREFERENCE IS 'MEDLINE, CAPLUS, BIOSIS, EMBASE, SCISEARCH'
```

```
KEEP DUPLICATES FROM MORE THAN ONE FILE?  Y/(N):n
PROCESSING COMPLETED FOR L19
L20             3 DUPLICATE REMOVE L19 (4 DUPLICATES REMOVED)

=> d l20 1-3 ibib abs

L20  ANSWER 1 OF 3  CAPLUS  COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER:         2001:850963  CAPLUS
DOCUMENT NUMBER:          136:11065
TITLE:                    New pharmaceutical composition
INVENTOR(S):                ***Papadimitriou, Apollon***
PATENT ASSIGNEE(S):       F. Hoffmann-La Roche A.-G., Switz.
SOURCE:                   PCT Int. Appl., 64 pp.
                          CODEN: PIXXD2
DOCUMENT TYPE:            Patent
LANGUAGE:                 English
FAMILY ACC. NUM. COUNT:   1
PATENT INFORMATION:

     PATENT NO.           KIND   DATE        APPLICATION NO.          DATE
     ---------------      ----   --------    --------------------     --------
     WO 2001087329         A1    20011122    WO 2001-EP5187           20010508
         W:  AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CO, CU,
             CZ, DE, DK, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL,
             IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA,
             MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI,
             SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZA, ZW, AM, AZ, BY,
             KG, KZ, MD, RU, TJ, TM
         RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY,
             DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF,
             BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
     CA 2408685            AA    20011122    CA 2001-2408685          20010508
     BR 2001010914         A     20030211    BR 2001-10914            20010508
     EP 1311285            A2    20030521    EP 2001-943331           20010508
         R:  AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
             IE, SI, LT, LV, FI, RO, MK, CY, AL, TR
     JP 2003533487         T2    20031111    JP 2001-583796           20010508
     US 2002037841         A1    20020328    US 2001-853731           20010511
     ZA 2002008500         A     20040128    ZA 2002-8500             20021021
     NO 2002005450         A     20021114    NO 2002-5450             20021114
     US 2004147431         A1    20040729    US 2004-780297           20040217
PRIORITY APPLN. INFO.:                        EP 2000-110355       A   20000515
                                              WO 2001-EP5187       W   20010508
                                              US 2001-853731       A1  20010511
AB   The present invention relates to a liq. pharmaceutical compn. comprising
     an  ***erythropoietin***  protein, a multiple charged inorg. anion in a
     pharmaceutically acceptable buffer suitable to keep the soln. pH in the
     range from about 5.5 to about 7.0, and optionally one or more
     pharmaceutically acceptable excipients.  This compn. is esp. useful for
     the prophylaxis and treatment of diseases related to erythropoiesis.
REFERENCE COUNT:          5     THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS
                                RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L20  ANSWER 2 OF 3  CAPLUS  COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER:         2000:197980  CAPLUS
DOCUMENT NUMBER:          132:227484
TITLE:                    Aqueous formulations of biologically active
                          polypeptides
INVENTOR(S):                ***Papadimitriou, Apollon***
PATENT ASSIGNEE(S):       Hoffmann-La Roche, A.-G., Switz.
SOURCE:                   Jpn. Kokai Tokkyo Koho, 11 pp.
                          CODEN: JKXXAF
DOCUMENT TYPE:            Patent
LANGUAGE:                 Japanese
FAMILY ACC. NUM. COUNT:   1
PATENT INFORMATION:

     PATENT NO.           KIND   DATE        APPLICATION NO.          DATE
     ---------------      ----   --------    --------------------     --------
     JP 2000086532         A2    20000328    JP 1999-248013           19990901
     TW 570805             B     20040111    TW 1999-88114073         19990818
     EP 1002547            A1    20000524    EP 1999-116537           19990824
         R:  AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
             IE, SI, LT, LV, FI, RO
     CN 1250669            A     20000419    CN 1999-119245           19990827
     NZ 337527             A     20001222    NZ 1999-337527           19990827
     SG 85670              A1    20020115    SG 1999-4209             19990827
```

KR	2000022777	A	20000425	KR 1999-36053		19990828
NO	9904214	A	20000302	NO 1999-4214		19990831
AU	9944866	A1	20000316	AU 1999-44866		19990831
AU	755930	B2	20030102			
TR	9902103	A2	20000421	TR 1999-9902103		19990831
HR	990272	A1	20000630	HR 1999-990272		19990831
ZA	9905601	A	20000927	ZA 1999-5601		19990831
MX	9908037	A	20000930	MX 1999-8037		19990831
RU	2180855	C2	20020327	RU 1999-118890		19990831
BR	9903984	A	20010313	BR 1999-3984		19990901
US	2002028766	A1	20020307	US 2001-953721		20010917
PRIORITY APPLN. INFO.:				EP 1998-116494	A	19980901
				US 1999-385404	A3	19990830

AB This invention relates to drug delivery systems of polypeptides with improved soly. Pharmacol. active polypeptides selected from the group consisting of hedgehog proteins, osteogenic factors, growth factors, ***erythropoietin*** , thrombopoietin, G-CSF, interleukins, and interferons, are combined with amphipathic substances to form ionic complexes in formulating aq. compns. .alpha.-Interferon in Tris buffer (pH 7.4) was dialyzed in a soln. contg. deoxycholic acid and phosphatidylserine and formulated with a soln. contg. NaCl, Na phosphate buffer soln. and deoxycholic acid for injection.

L20 ANSWER 3 OF 3 MEDLINE on STN DUPLICATE 1

ACCESSION NUMBER:	1998139480 MEDLINE
DOCUMENT NUMBER:	PubMed ID: 9473251
TITLE:	Purging of mammary carcinoma cells during ex vivo culture of CD34+ hematopoietic progenitor cells with recombinant immunotoxins.
AUTHOR:	Spyridonidis A; Schmidt M; Bernhardt W; ***Papadimitriou*** A*** ; Azemar M; Wels W; Groner B; Henschler R
CORPORATE SOURCE:	Department of Hematology/Oncology, University Medical Center, Freiburg, Germany.
SOURCE:	Blood, (1998 Mar 1) 91 (5) 1820-7. Journal code: 7603509. ISSN: 0006-4971.
PUB. COUNTRY:	United States
DOCUMENT TYPE:	Journal; Article; (JOURNAL ARTICLE)
LANGUAGE:	English
FILE SEGMENT:	Abridged Index Medicus Journals; Priority Journals
ENTRY MONTH:	199803
ENTRY DATE:	Entered STN: 19980326 Last Updated on STN: 20020420 Entered Medline: 19980316

AB Tumor cells have been found in autologous hematopoietic cell transplants used after high-dose chemotherapy. To specifically eliminate contaminating mammary tumor cells during ex vivo expansion of CD34+ hematopoietic progenitor cells, we used recombinant immunotoxins (ITs) directed against cell-surface antigens expressed on mammary carcinoma cells. ITs were expressed from fusion cDNAs combining a single-chain antibody fragment (scFv) directed against the Erb-B2 or epidermal growth factor (EGF) receptors with a truncated Pseudomonas exotoxin A fragment devoid of its cell-binding domain. CD34+ hematopoietic progenitor cells did not express Erb-B2 and EGF receptors as detected by Western blotting. Ex vivo expansion of total hematopoietic cells or of colony-forming cells from CD34+ progenitors in the presence of stem-cell factor (SCF), interleukin-1 (IL-1), IL-3, IL-6, and ***erythropoietin*** (Epo) was not affected when ITs were added to the cultures. In contrast, MDA-MB 453 and MCF-7 mammary carcinoma cells were depleted in a dose- and time-dependent manner by more than 3 log in coculture with CD34+ cells over a period of 7 days in the presence of 100 to 1,000 ng/mL of anti-Erb-B2 IT. This included elimination of the subpopulations with regrowth potential. Similarly, addition of either anti-Erb-B2 or anti-EGF receptor ITs to primary breast cancer cells isolated from patients with metastatic disease resulted in elimination of cytokeratin-positive cells in seven of seven samples. ITs are highly efficient and convenient to use for the depletion of mammary tumor cells during ex vivo expansion of hematopoietic progenitor-cell autografts.

=> s link?
L21 1864732 LINK?

=> d his

(FILE 'HOME' ENTERED AT 08:18:56 ON 03 DEC 2004)

FILE 'MEDLINE, CAPLUS, BIOSIS, EMBASE, SCISEARCH, AGRICOLA' ENTERED AT

```
     08:19:22 ON 03 DEC 2004
L1         79889 S ERYTHROPOIETIN
L2          6670 S COMPOSITION (P) BUFFER (P) (SULFATE OR CITRATE OR PHOSPHATE)
L3            10 S L1 (P) L2
L4            10 DUPLICATE REMOVE L3 (0 DUPLICATES REMOVED)
L5           780 S GLYCOSYLAT? (P) L1
L6            22 S PEG (P)L1 (P) (CONJUGAT? OR COVALENT?)
L7            81 S PEGYLAT? (P) L1
L8          3892 S L1 (P) (MODIF? OR SUBSTITUT? OR MUTAT?)
L9          4625 S L5 OR L6 OR L7 OR L8
L10            0 S L2 (P) L9
L11       298406 S (SODIUM CHLORIDE) OR ISOTON?
L12       572259 S METHIONINE OR ARGININE
L13       142861 S POLYOL OR MANNITOL
L14            1 S L4 (P) (L12 OR L11 OR L13)
L15         1255 S PLURONIC F68
L16         5705 S POLOXAMER
L17            1 S L14 AND (L15 OR L16)
L18          482 S PAPADIMITRIOU A?/AU
L19            7 S L18 AND L1
L20            3 DUPLICATE REMOVE L19 (4 DUPLICATES REMOVED)
L21      1864732 S LINK?

=> s l9 (P) l24
L24 NOT FOUND
The L-number entered could not be found.  To see the definition
of L-numbers, enter DISPLAY HISTORY at an arrow prompt (=>).

=> s l9 (p) l21
L22          566 L9 (P) L21

=> s l22 and l2
L23            0 L22 AND L2

=> d his

     (FILE 'HOME' ENTERED AT 08:18:56 ON 03 DEC 2004)

     FILE 'MEDLINE, CAPLUS, BIOSIS, EMBASE, SCISEARCH, AGRICOLA' ENTERED AT
     08:19:22 ON 03 DEC 2004
L1         79889 S ERYTHROPOIETIN
L2          6670 S COMPOSITION (P) BUFFER (P) (SULFATE OR CITRATE OR PHOSPHATE)
L3            10 S L1 (P) L2
L4            10 DUPLICATE REMOVE L3 (0 DUPLICATES REMOVED)
L5           780 S GLYCOSYLAT? (P) L1
L6            22 S PEG (P)L1 (P) (CONJUGAT? OR COVALENT?)
L7            81 S PEGYLAT? (P) L1
L8          3892 S L1 (P) (MODIF? OR SUBSTITUT? OR MUTAT?)
L9          4625 S L5 OR L6 OR L7 OR L8
L10            0 S L2 (P) L9
L11       298406 S (SODIUM CHLORIDE) OR ISOTON?
L12       572259 S METHIONINE OR ARGININE
L13       142861 S POLYOL OR MANNITOL
L14            1 S L4 (P) (L12 OR L11 OR L13)
L15         1255 S PLURONIC F68
L16         5705 S POLOXAMER
L17            1 S L14 AND (L15 OR L16)
L18          482 S PAPADIMITRIOU A?/AU
L19            7 S L18 AND L1
L20            3 DUPLICATE REMOVE L19 (4 DUPLICATES REMOVED)
L21      1864732 S LINK?
L22          566 S L9 (P) L21
L23            0 S L22 AND L2

=> log y
COST IN U.S. DOLLARS                                SINCE FILE      TOTAL
                                                       ENTRY    SESSION
FULL ESTIMATED COST                                    97.69      97.90

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)          SINCE FILE      TOTAL
                                                       ENTRY    SESSION
CA SUBSCRIBER PRICE                                    -8.40      -8.40

STN INTERNATIONAL LOGOFF AT 08:31:35 ON 03 DEC 2004
```